

CJK Symbols and Punctuation

Range: 3000–303F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 5.2*.

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts.
See <http://www.unicode.org/charts/PDF/Unicode-5.2/> for charts showing only the characters added in Unicode 5.2.
See <http://www.unicode.org/Public/5.2.0/charts/> for a complete archived file of character code charts for Unicode 5.2.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 5.2 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 5.2, online at <http://www.unicode.org/versions/Unicode5.2.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, and #44, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2009 Unicode, Inc. All rights reserved.

	300	301	302	303
0	 3000	 3010	 3020	 3030
1	 3001	 3011	 3021	 3031
2	 3002	 3012	 3022	 3032
3	 3003	 3013	 3023	 3033
4	 3004	 3014	 3024	 3034
5	 3005	 3015	 3025	 3035
6	 3006	 3016	 3026	 3036
7	 3007	 3017	 3027	 3037
8	 3008	 3018	 3028	 3038
9	 3009	 3019	 3029	 3039
A	 300A	 301A	 302A	 303A
B	 300B	 301B	 302B	 303B
C	 300C	 301C	 302C	 303C
D	 300D	 301D	 302D	 303D
E	 300E	 301E	 302E	 303E
F	 300F	 301F	 302F	 303F

CJK symbols and punctuation

- 3000  IDEOGRAPHIC SPACE
 → 0020  space
 ≈ <wide> 0020 
 3001 、 IDEOGRAPHIC COMMA
 → 002C , comma
 3002 。 IDEOGRAPHIC FULL STOP
 → 002E . full stop
 3003 " DITTO MARK
 → 2033 " double prime
 3004  JAPANESE INDUSTRIAL STANDARD SYMBOL
 3005  IDEOGRAPHIC ITERATION MARK
 3006  IDEOGRAPHIC CLOSING MARK
 3007 ○ IDEOGRAPHIC NUMBER ZERO
 → 20DD  combining enclosing circle
 → 25CB  white circle
 → 25EF  large circle

CJK angle brackets

- 3008 < LEFT ANGLE BRACKET
 → 003C < less-than sign
 → 2039 < single left-pointing angle quotation mark
 → 2329 < left-pointing angle bracket
 → 27E8 < mathematical left angle bracket
 3009 > RIGHT ANGLE BRACKET
 → 003E > greater-than sign
 → 203A > single right-pointing angle quotation mark
 → 232A > right-pointing angle bracket
 → 27E9 > mathematical right angle bracket
 300A « LEFT DOUBLE ANGLE BRACKET
 → 00AB « left-pointing double angle quotation mark
 → 27EA « mathematical left double angle bracket
 300B » RIGHT DOUBLE ANGLE BRACKET
 → 00BB » right-pointing double angle quotation mark
 → 27EB » mathematical right double angle bracket

CJK corner brackets

The CJK corner brackets, which function as quotation marks, are not recommended for general-purpose corner brackets. See the ceiling and floor characters, instead.

- 300C  LEFT CORNER BRACKET
 → 2308  left ceiling
 300D  RIGHT CORNER BRACKET
 • used as quotation marks
 → 230B  right floor
 300E  LEFT WHITE CORNER BRACKET
 300F  RIGHT WHITE CORNER BRACKET
 • used as quotation marks

CJK brackets

- 3010  LEFT BLACK LENTICULAR BRACKET
 3011  RIGHT BLACK LENTICULAR BRACKET

CJK symbols

- 3012  POSTAL MARK

- 3013  GETA MARK
 • substitute for ideograph not in font
 • editorial convention to represent ideographic lacuna
 → 25A1  white square

CJK brackets

- 3014  LEFT TORTOISE SHELL BRACKET
 3015  RIGHT TORTOISE SHELL BRACKET
 3016  LEFT WHITE LENTICULAR BRACKET
 3017  RIGHT WHITE LENTICULAR BRACKET
 3018  LEFT WHITE TORTOISE SHELL BRACKET
 → 27EC  mathematical left white tortoise shell bracket
 3019  RIGHT WHITE TORTOISE SHELL BRACKET
 → 27ED  mathematical right white tortoise shell bracket
 301A  LEFT WHITE SQUARE BRACKET
 = left abstract syntax bracket
 → 27E6  mathematical left white square bracket
 301B  RIGHT WHITE SQUARE BRACKET
 = right abstract syntax bracket
 → 27E7  mathematical right white square bracket

CJK symbols and punctuation

- 301C  WAVE DASH
 • This character was encoded to match JIS C 6226-1978 1-33 "wave dash". The JIS standards and some industry practice disagree in mapping.
 → 3030  wavy dash
 → FF5E  fullwidth tilde
 301D  REVERSED DOUBLE PRIME QUOTATION MARK
 • sometimes depicted as double prime quotation mark
 → 201C  left double quotation mark
 → 2036  reversed double prime
 301E  DOUBLE PRIME QUOTATION MARK
 • this is a mistaken analogue to 201D ”; 301F  is preferred
 → 201D  right double quotation mark
 → 2033  double prime
 301F  LOW DOUBLE PRIME QUOTATION MARK
 • may be depicted as low inverse double prime quotation mark
 3020  POSTAL MARK FACE

Suzhou numerals

The Suzhou numerals (Chinese su1zhou1ma3zi) are special numeric forms used by traders to display the prices of goods. The use of "HANGZHOU" in the names is a misnomer.

- 3021  HANGZHOU NUMERAL ONE
 3022  HANGZHOU NUMERAL TWO
 3023  HANGZHOU NUMERAL THREE
 3024  HANGZHOU NUMERAL FOUR
 3025  HANGZHOU NUMERAL FIVE
 3026  HANGZHOU NUMERAL SIX
 3027  HANGZHOU NUMERAL SEVEN
 3028  HANGZHOU NUMERAL EIGHT
 3029  HANGZHOU NUMERAL NINE

Diacritics

- 302A  IDEOGRAPHIC LEVEL TONE MARK
 302B  IDEOGRAPHIC RISING TONE MARK
 302C  IDEOGRAPHIC DEPARTING TONE MARK

302D ㇏ IDEOGRAPHIC ENTERING TONE MARK

302E ㇏ HANGUL SINGLE DOT TONE MARK
= single dot Bangjeom

302F ㇏ HANGUL DOUBLE DOT TONE MARK
= double dot Bangjeom

Other CJK symbols

3030 〰 WAVY DASH

→ 2307 ㄱ wavy line

→ 301C ㄴ wave dash

3031 ㄱ VERTICAL KANA REPEAT MARK

3032 ㄱ VERTICAL KANA REPEAT WITH VOICED SOUND MARK

- the preceding two semantic characters are preferred to the following three glyphic forms

3033 / VERTICAL KANA REPEAT MARK UPPER HALF

3034 / VERTICAL KANA REPEAT WITH VOICED SOUND MARK UPPER HALF

- the preceding two are glyphs used in conjunction with the following glyph

3035 \ VERTICAL KANA REPEAT MARK LOWER HALF

3036 ㊦ CIRCLED POSTAL MARK

≈ 3012 ㊦ postal mark

3037 ㇏ IDEOGRAPHIC TELEGRAPH LINE FEED SEPARATOR SYMBOL

Additional Suzhou numerals

3038 十 HANGZHOU NUMERAL TEN
≈ 5341 十

3039 廿 HANGZHOU NUMERAL TWENTY
≈ 5344 廿

303A 卅 HANGZHOU NUMERAL THIRTY
≈ 5345 卅

Other CJK punctuation

303B ㄱ VERTICAL IDEOGRAPHIC ITERATION MARK

303C ㊦ MASU MARK

- informal abbreviation for Japanese -masu ending

→ 29C4 ㊦ squared rising diagonal slash

303D ㄱ PART ALTERNATION MARK

- marks the start of a song part in Japanese

Special CJK indicators

These are visibly displayed graphic characters, not invisible format control characters.

303E ㊦ IDEOGRAPHIC VARIATION INDICATOR

- visual indicator that the following ideograph is to be taken as a variant of the intended character

303F ㊦ IDEOGRAPHIC HALF FILL SPACE

- visual indicator of a screen space for half of an ideograph